

5860A12

SCARLET UVALDE QUARTERS

NEW FOREST WEST SEC 4

Harris Central Appraisal District




0 50 100 200 Feet

PUBLICATION DATE: 12/17/2025

Geospatial or map data maintained by the Harris Central Appraisal District is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and only represents the approximate location of property boundaries.



MAP LOCATION




FACET 5860C4

10	11	12	9	10
2	3	4	1	2
6	7	8	5	6

5860C8

5860C3

5860C2



NORTHPOINT 90 LOGISTICS CENTER SEC 1
145-344

GALENA PARK ISD DR GERALD D COBB MIDDLE SCHOOL
122-533

041-053-000-0014
4.0000 AC

041-053-000-0079
9.9900 AC

041-053-000-0063
2.0420 AC

041-053-000-0064
4.3220 AC

135.22

114.86

275.06

114

36.17 57.05

12

1265.38

926.24

3029.78

2560.86

2539.89

1271.63

HC MUD 421

UD

UD

UD

UD

UD

UD

UD

344.31

604.87

UD

UD

UD

UD

UD

UD

UD

UD

UD

UD

UD

UD

UD

UD

HC MUD 285

UD

UD

UD

UD

UD

UD

UD

4H

268.57

268.57(c)

UD

4M

67.65

277.23

UD

4L

618.6

287

UD

4M

345.25

277.23

UD

4M

331.41

331.41

UD

4M

678.18

678.18

UD

4M

643.47

643.47

UD

4M

1154.62

1154.62

UD

4M

243.31

243.31

UD

4M

150.02

150.02

UD

4M

1110.65

1110.65

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD

4M

110.6

110.6

UD